

Technical data sheet for skirting rubber germanLine[®] Red 45 basic

Specifications:		
	Standard	Value
Elastomer	-	NR
Colour	-	red
Hardness	DIN 53505	45 ± 5 ° [Shore A]
Tensile strength	DIN 53504	≥ 15 [MPa]
Elongation at break	DIN 53550	≥ 550 [%]
Breaking force	DIN 53507	≥ 50 [N/mm]
Abrasion	DIN 53516	≤ 125 [mm ³] at 5 N
Density	DIN 53479	1.20 ± 0.03 [g/cm ³]

Available dimensions:

Thickness: 4/6/8/10/12/15/20 mm
 Width: 80/100/120/150/200/250 mm
 Available length: 20 m

Uses: germanLine[®] Red 45 basic ensures optimal sealing in use of fine-grained and dusty conveyor goods. Get the most effective sealing with the connection of germanShock elements.

