

Technical data sheet for wear protection rubber germanLine® Black 60 with CN-Layer

Specifications:		
	Standard	Value
Elastomer	-	NR/BR
Colour	-	black
Hardness	DIN 53505	60 ± 5 ° [Shore A]
Tensile strength	DIN 53504	≥ 20 [MPa]
Elongation at break	DIN 53550	≥ 450 [%]
Rebound resilience	DIN 53512	50 ± 1 [%]
Breaking force	DIN 53507	≥ 80 [N/mm]
Abrasion	DIN 53516	≤ 90 [mm³] at 10 N
Density	DIN 53479	1.10 ± 0.03 [g/cm³]
<p>Available dimensions:</p> <p>Thickness: 4/6/8/10/12/15/20 mm Width: 1,500/2,000 mm Available lengths: 10/20/50 m</p> <p>Uses: Standard quality with extremely high demands on wear resistance, for rough and abrasive material and large drop heights. germanLine® Black 60 shows is characterised by first-class tensile strength and durability.</p>		